UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	Э.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/696,291	10/696,291 10/29/2003		Chien-Hua Huang	N1085-00212 [TSMC2003-060	5131	
8933	7590	01/07/2005		EXAMINER		
DUANE MORRIS, LLP IP DEPARTMENT				TRAN, ANDREW Q		
ONE LIBERTY PLACE PHILADELPHIA, PA 19103-7396			ART UNIT	PAPER NUMBER		
			2824			
			•	DATE MAILED: 01/07/2009	DATE MAILED: 01/07/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

AK

Supplemental Notice of Allowability

Application No.	Applicant(s)
10/696,291	HUANG ET AL.
Examiner	Art Unit
Andrew Q. Tran	2824

Houce of Allowability	Examiner	Art Unit			
	Andrew Q. Tran	2824			
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS		
1. This communication is responsive to <u>Amendment under 37</u>	7 CFR 1.312 filed November 30, 200	<u>4</u> .			
2. The allowed claim(s) is/are <u>1-35</u> .					
3. The drawings filed on are accepted by the Examine	r.				
4.					
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendmand 8. ☐ Examiner's Stateme 9. ☑ Other <u>See Continual</u>	(PTO-413), e nent/Comment nt of Reasons for Allo			

Art Unit: 2824

The corrected or substitute drawings were received on November 30, 2004. These drawings are not acceptable because in Fig. 1, block circuit 130 should be correctly labeled as -RING-OSCILLATION UNIT--, as originally filed.

In addition to Replacement Sheets containing the corrected drawing figure(s), applicant is required to submit a marked-up copy of each Replacement Sheet including annotations indicating the changes made to the previous version. The marked-up copy must be clearly labeled as "Annotated Marked-up Drawings" and must be presented in the amendment or remarks section that explains the change(s) to the drawings. See 37 CFR 1.121(d). Failure to timely submit the proposed drawing and marked-up copy will result in the abandonment of the application.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

Art Unit: 2824

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Q. Tran whose telephone number is (571) 272-1885. The examiner can normally be reached on Mon - Fri 8:30 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard T. Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Andrew Q. Tran Primary Examiner Art Unit 2824 Application/Control Number: 10/696,291

Art Unit: 2824

at January 06, 2005 Page 4